

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	46	Company Name:	PROFESSIONAL REFINISHING ORGANIZATION	
Equipment Location:	1539 Fishburn Avenue, Los Angeles, CA 90063			SIC Code: 3479
Permit Revision #:		Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	543630	Application Submittal Date(s):	10/9/2012	
AQMD Contact Person:	Stacey Ebner	Phone #:	(909) 396-2504	E-Mail Address: sebiner@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal. This facility refinishes and restores metal and wood furniture. The facility operates three spray booths and other supporting equipment.				
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal				
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance				
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2012		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported: Methylene Chloride <u>Emissions (lbs/yr):</u> 381		
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____				
Criteria Pollutant Emissions		<input type="checkbox"/> NOx _____ <input checked="" type="checkbox"/> PM 0.014 Annual Reported Emissions <input type="checkbox"/> CO _____ <input type="checkbox"/> SOx _____ (tons/year) for Reporting Year: 2012 <input checked="" type="checkbox"/> VOC 0.22 <input type="checkbox"/> Other: _____		
Compliance History: <input type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 2)				
Comments:				